



LPJG17561BGNL

Link-PP Intl Technology

[Buy Now](#)



Looking for a discount?

[Check out our current promotions!](#)

Give us a call

1-855-837-4225

International: 1-415-281-3866

Email Us

Sales and New Orders: sales@verical.com

Order Support: support@verical.com

Suppliers: [Visit our seller page](#)

Company Address

Arrow Electronics, Inc
9201 East Dry Creek Road
Centennial, CO 80112

LINK-PP Is The Preferred Designer And Manufacturer Of Intel TI And Samsung In Discrete Magnetic Transformers And RJ45 Connector.

[More ...](#)

RJ45 Connector w/wo Magnetics

- Single Port
- SMT 1X1
- Single Port with USB
- PoE+ (IEEE 802.3at) ...
- 1XN
- 2XN
- Vertical
- Low-Profile
- RJ11
- Recessed Type
- 2.5G BASE-T RJ45
- 5G BASE-T RJ45
- 10GBASE-T RJ45

Discrete Magnetic Transformers

- Single Port
- Dual Port
- Quad Port
- Low-Profile PCMCIA
- PoE/PoE+ (IEEE..
- 2.5G BASE-T
- 5G BASE-T
- 10G BASE-T

Optical Transceivers

- SFP28
- QSFP+
- CFP
- CXP
- SFP
- SFF
- 1X9
- QSFP28
- SFP+
- XFP

Products

Products>>RJ45 Connector w/wo Magnetics

LPJG17561BGNL

2x1 Ethernet RJ45 Connector with 1000 Base-T Integrated Magnetics, Yellow/Green LED, Tab Up/Tab Down, RoHS



LINK-PP Part Number:	LPJG17561BGNL
Speed:	1000 Base-T
Number of Ports:	2X1
Application-Lan:	EthernetNoN PoE)
Latch:	Up/Down
PIN Type:	THT Solder
Temperature:	-40 TO + 85 °C
Package Height (mm):	25.30
Package Length (mm):	28.49
Package Width (mm):	17.20

Documents

E-mail

[Inquire Now >](#)

Detailed information

2x1 RJ45 Connector with 1000 Base-T Integrated Magnetics, Yellow/Green LED, Tab Up/Tab Down, RoHS	
LINK-PP Part Number	LPJG17561BGNL
Application-Lan	ETHERNET (NoN PoE)
AutomDX	YES
Bst Circuit	YES
Configuration RX	T,C
Configuration TX	T,C
Contact Mating Area Plating	GOLD 6u"/15u"/30u"
Cores per Port	8
Diodes	NO DIODES
LED Option	YELLOW/GREEN
Latch	TAB UP/TAB DOWN
Number of Ports	2X1
PCB	FR4
PCB Mount Angle	SIDE ENTRY
PCB Retaining Post	T POST

Package Height (Inches)	0.996
Package Height (mm)	25.30
Package Length (Inches)	1.122
Package Length (mm)	28.49
Package Width (Inches)	0.677
Package Width (mm)	17.20
Pin Type	THT SOLDER
RoHS Compliant	YES-RoHS-5 WITH LEAD IN SOLDER EXEMPTION
Search	YES
Shield EMI Tabs	WITHOUT
Speed	1000 BASE-T
Temperature	- 40 TO + 85°C
Turns Ratio RX	1CT:1CT
Turns Ratio TX	1CT:1CT

With low price but high-quality UL Certification LPJG17561BGNL , RJ45 Connector , RJ45 Jack , RJ45 Female Connector , RJ45 Modular Jack , Ethernet RJ45 Connector , 8P8C RJ45 Connector on your service, LINK-PP is one of the best LPJG17561BGNL manufacturers.

