

HSG ASSY,PWR LK,SRS 1,2 POS

✓ ACTIVE

AMP


TE Part # 54483-2

TE Internal #: 54483-2

[View on TE.com >](#)



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Product Type: **Housing**

Housing Type: **Plug/Receptacle**

Connector System: **Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **7.92 mm [.312 in]**

Features

Product Type Features

Product Type	Housing
Housing Type	Plug/Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Termination Features

Wire/Cable Type	Discrete Wire
-----------------	---------------

Housing Features

Centerline (Pitch)	7.92 mm[.312 in]
Housing Material	Nylon

Dimensions

Width	15.85 mm[.624 in]
Height	7.92 mm[.312 in]
Length	24.51 mm[.965 in]

Usage Conditions

Operating Temperature Range	-40 – 75 °C
-----------------------------	-------------



Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

CSA Rating	Certified
Agency/Standard Number	E28476
Agency/Standard	CSA, UL
UL Rating	Recognized
CSA File Number	LR7189
VDE Tested	No

Packaging Features

Packaging Method	Bag
Packaging Quantity	200

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability







Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling



based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought

 TE Part #54329-1 CONTACT,PWR LK,SRS1, LS PC,SLDR	 TE Part #54489-2 HSG ASSY,PWR LK,SRS1, 2POS,FLNG	 TE Part #520437-1 8 SDL FERRULE,BULK PKG	 TE Part #480634-1 20P STR/REL HSG HNGD V0 RED
 TE Part #54326-2 CONTACT,PWR LK,SRS1, LS PC,PSTD	 TE Part #54483-3 HSG ASSY,PWR LK,SRS 1,3 POS	 TE Part #54483-4 HSG ASSY,PWR LK,SRS 1,4 POS	

Documents

Product Drawings

HSG ASSY,PWR LK,SRS 1,2 POS

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_54483-2_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_54483-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_54483-2_E.3d_stp.zip

English

Product Specifications

Application Specification

Japanese

Power-Lock 75 Series Contacts

Japanese



Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English